



Ref. Certif. No.

AT 5013

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Escape sign emergency luminaires

Name and address of the applicant

Zumtobel Lighting GmbH
Schweizer Str. 30,
6850 Dornbirn, Austria

Name and address of the manufacturer

Zumtobel Lighting GmbH
Schweizer Str. 30,
6850 Dornbirn, Austria

Name and address of the factory

Zumtobel Lighting GmbH
Schweizer Str. 30,
6850 Dornbirn, Austria

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

220-240 V; 50/60 Hz; Cl.I; IP20;
Self-contained

Trademark / Brand (if any)

 ZUMTOBEL

Customer's Testing Facility (CTF) Stage used

CTF Stage 2

Model / Type Ref.

Series CROSSIGN ... P TEC-GP...,
see type code on page 3

Additional information (if necessary may also be reported on page 2)

See test report for information about National and/or Group Differences.

Additional Information on pages 2 to 5

A sample of the product was tested and found to be in conformity with

IEC 60598-1:2020
IEC 60598-2-22:2021

As shown in the Test Report Ref. No. which forms part of this Certificate

TR-251-0175-03

This CB Test Certificate is issued by the National Certification Body



Österreichischer Verband für Elektrotechnik

OVE Certification

Kahlenberger Str. 2A, 1190 Wien, Austria



Digitally signed by T. Neumayer
Email=t.neumayer@ove.at



Date: 2023-10-31

Signature: Dipl.-Ing. T. Neumayer



Ref. Certif. No.

AT 5013

Additional factory:

ZG Lighting SRB doo
Ulica Cumtobel br. 1,
18000 Nis, Serbia

Additional information (if necessary)

Digitally signed by T. Neumayer

Email=t.neumayer@ove.at

Signature: Dipl.-Ing. T. Neumayer

Date: 2023-10-31



Ref. Certif. No.

AT 5013

Typecode:

CROSSIGN ... P TEC-GP

Country specific

None
BAES France

Luminaire colour

WH..... White
BK..... Black
SR..... Silver

Escape Route Illumination (ERI)

None
ERI

Supply version

E1D..... Emergency 1 hour self-contained DALI
E2D..... Emergency 2 hour self-contained DALI
E3D..... Emergency 3 hour self-contained DALI

Mounting version

TEC-GP .. Tecton

Luminaire version

Dimension luminaire
110, 160

Luminaire series

Additional information (if necessary)

Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Signature: Dipl.-Ing. T. Neumayer

Date: 2023-10-31



Ref. Certif. No.

AT 5013

Accessories:

CROSSIGN 160 SP-1L
CROSSIGN 160 SP-1R
CROSSIGN 160 SP-2D
CROSSIGN 160 SP-2LR
CROSSIGN 110 SP-1D
CROSSIGN 110 SP-1L
CROSSIGN 110 SP-1R
CROSSIGN 110 SP-2D
CROSSIGN 110 SP-2LR
CROSSIGN 160 SP-1D
CROSSIGN 160 SP-1L TSW
CROSSIGN 160 SP-1R TSW
CROSSIGN 160 SP-1D TSW
CROSSIGN 160 SP-2LR TSW
CROSSIGN 160 SP-2D TSW
CROSSIGN 110 SP-1UPR
CROSSIGN 110 SP-1DR
CROSSIGN 110 SP-1UPL
CROSSIGN 110 SP-1DL
CROSSIGN 110 SP-2UPLR
CROSSIGN 110 SP-2DLR
CROSSIGN 110 SP-2UP
CROSSIGN 110 SP-1UP
CROSSIGN 160 SP-1UP
CROSSIGN 160 SP-2UP
CROSSIGN 160 SP-1UPR
CROSSIGN 160 SP-1DR
CROSSIGN 160 SP-1UPL
CROSSIGN 160 SP-1DL
CROSSIGN 160 SP-2UPLR
CROSSIGN 160 SP-2DLR

Additional information (if necessary)


Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Signature: Dipl.-Ing. T. Neumayer

Date: 2023-10-31

Typecode Pictogram:

CROSSIGN - - -

**Escape direction**

None
L, UPL, UP, UPR, R, DR, D, DL, LR, UPLR, DLR
E001 – E099 Evacuation route signs
F001 – F099..... Fire Equipment signs
M001 – M099 Mandatory action signs
P001 – P099 Prohibition signs
W001 – W099 Warning signs

Printed side

1..... One-sided
2..... Double-sided sign

Reference number ISO 7010

SP E001/E002
WP E026/E030
E001 – E099 Evacuation route signs
F001 – F099..... Fire Equipment signs
M001 – M099 Mandatory action signs
P001 – P099 Prohibition signs
W001 – W099 Warning signs

Luminaire version

None
P Pictogram

Pictogram height

110, 160

Luminaire series**Additional information (if necessary)**

Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Signature: Dipl.-Ing. T. Neumayer

Date: 2023-10-31