



Ref. Certif. No.

AT 5082

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product

Recessed escape sign emergency luminaire

Name and address of the applicant

Zumtobel Lighting GmbH  
Schweizer Str. 30,  
6850 Dornbirn, Austria

Name and address of the manufacturer

Zumtobel Lighting GmbH  
Schweizer Str. 30,  
6850 Dornbirn, Austria

Name and address of the factory

Zumtobel Lighting GmbH  
Schweizer Str. 30,  
6850 Dornbirn, Austria

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

220-240 V; 50/60 Hz; Cl.I, IP20/IP40

Trademark / Brand (if any)

 ZUMTOBEL

Customer's Testing Facility (CTF) Stage used

CTF Stage 2

Model / Type Ref.

Series PURESIGN ... 150 P MR...,  
see type code on page 3

Additional information (if necessary may also be reported on page 2)

**Battery supplied;**  
Light source classified as RG1(low risk).  
See test report for information about National and/or Group Differences.

Additional Information on pages 2 to 4

A sample of the product was tested and found to be in conformity with

IEC 60598-1:2020  
IEC 60598-2-2:2011  
IEC 60598-2-22:2021

As shown in the Test Report Ref. No. which forms part of this Certificate

TR-251-0177-01, TR-251-0177-02

This CB Test Certificate is issued by the National Certification Body



Österreichischer Verband für Elektrotechnik

OVE Certification

Kahlenberger Str. 2A, 1190 Wien, Austria



Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at



Signature: Dipl.-Ing. T. Neumayer

Date: 2024-04-23



Ref. Certif. No.

**AT 5082**

**Additional factory:**

ZG Lighting SRB doo  
Ulica Cumtobel br. 1,  
18000 Nis, Serbia

**Additional information (if necessary)**

Digitally signed by T. Neumayer

Email=t.neumayer@ove.at

Signature: Dipl.-Ing. T. Neumayer

Date: 2024-04-23



Ref. Certif. No.

AT 5082

Typecode:

PURESIGN..... 150 P .....

**Luminaire colour**

WH ..... White  
BK ..... Black  
SR ..... Silver

**Escape Route Illumination (ERI)**

None  
ERI

**Supply version**

E1D ..... Emergency 1 hour self-contained DALI  
E2D ..... Emergency 2 hour self-contained DALI  
E3D ..... Emergency 3 hour self-contained DALI  
E8D ..... Emergency 8 hour self-contained DALI

**Mounting version**

MRC ..... Mounting Recessed Ceiling  
MRW ..... Mounting Recessed Wall  
MRC-WF15 ..... Mounting Recessed Ceiling –  
Wire Feed length 1,5m  
MRCR-WF15..... Mounting Recessed Ceiling  
Remote – Wire Feed length 1,5m

**Luminaire version**

**Pictogram height**

**Product family**

None ..... for Versions with ERI  
/COMSIGN ..... for Versions without ERI

**Accessories:**

PURESIGN 150 MRW CCS  
PURESIGN/COMSIGN 150 MRC CCS  
PURESIGN/CROSSIGN P ERI SET 20 PCS.  
SAFTYSIGNS P BP Grid

**Additional information (if necessary)**

Digitally signed by T. Neumayer

Email=t.neumayer@ove.at

Signature: Dipl.-Ing. T. Neumayer

Date: 2024-04-23

**Typecode Pictogram:****Escape Route Illumination (ERI)**

None  
ERI

**Escape direction**

None  
L, UPL, UP, UPR, R, DR, D, DL, LR, UPLR, DLR  
E001 – E099 ..... Evacuation route signs  
F001 – F099..... Fire Equipment signs  
M001 – M099 .... Mandatory action signs  
P001 – P099 ..... Prohibition signs  
W001 – W099 .... Warning signs

**Printed side**

1..... One-sided  
2..... Double-sided

**Reference number ISO 7010**

SP ..... E001/E002  
WP ..... E026/E030  
E001 – E099 ..... Evacuation route signs  
F001 – F099..... Fire Equipment signs  
M001 – M099 .... Mandatory action signs  
P001 – P099 ..... Prohibition signs  
W001 – W099 .... Warning signs

**Mounting version**

MSC/MRC  
MSW/MRW  
MSC/MRC/TEC-GP  
MSC-WF/MRC-WF/MRCR-WF

**Pictogram version**

None  
P

**Pictogram height**

None  
150

**Product family**

PURE  
PURESIGN  
COM  
COMSIGN

**Additional information (if necessary)**

Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at

Signature: Dipl.-Ing. T. Neumayer

Date: 2024-04-23