



Ref. Certif. No.

**AT 5083**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

### CB TEST CERTIFICATE

Product

Escape sign emergency luminaire with limited surface temperature

Name and address of the applicant

Zumtobel Lighting GmbH  
Schweizer Str. 30,  
6850 Dornbirn, Austria

Name and address of the manufacturer

Zumtobel Lighting GmbH  
Schweizer Str. 30,  
6850 Dornbirn, Austria

Name and address of the factory

Zumtobel Lighting GmbH  
Schweizer Str. 30,  
6850 Dornbirn, Austria

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

220-240 V, 0/50/60 Hz, C.I.I.,  
IP42 or IP40, ▽-Marking

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 2

Model / Type Ref.

Series PURESIGN 150 P MSC...,  
see type code on page 3

Additional information (if necessary may also be reported on page 2)

Centrally supplied;  
Light source classified as RG1(low risk).  
See test report for information about National and/or Group Differences.

Additional Information on pages 2 to 4

A sample of the product was tested and found to be in conformity with

IEC 60598-1:2020  
IEC 60598-2-22:2021  
IEC 60598-2-24:2013

As shown in the Test Report Ref. No. which forms part of this Certificate

TR-251-0178-01, TR-251-0178-03

This CB Test Certificate is issued by the National Certification Body



**Österreichischer Verband für Elektrotechnik**

OVE Certification

Kahlenberger Str. 2A, 1190 Wien, Austria



*T. Neumayer*  
Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at

Signature: Dipl.-Ing. T. Neumayer

Date: 2024-04-23



Ref. Certif. No.

**AT 5083**

**Additional factory:**

ZG Lighting SRB doo  
Ulica Cumtobel br. 1,  
18000 Nis, Serbia

**Additional information (if necessary)**

*T. Neumayer*  
Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at  
Signature: Dipl.-Ing. T. Neumayer

Date: 2024-04-23

## Typecode:


PURESIGN..... 150 P .....

**Luminaire colour**WH .... White  
BK..... Black  
SR .... Silver**Escape Route Illumination (ERI)**None  
ERI**Supply version**ECC... Emergency Central battery Circuit  
Monitoring  
ECD... Emergency Central battery DALI  
ECP ... Emergency Central battery Powerline**Mounting version**MSC ..... Mounting Surface Ceiling  
MSC-WF15..... Mounting Surface Ceiling –  
Wire Feed length 1,5m**Luminaire version****Pictogram height****Product family**None..... for Versions with ERI  
/COMSIGN ..... for Versions without ERI**Accessories:**COMSIGN 150 MSW ECx bracket  
COMSIGN 150 MSW ExD bracket  
PURESIGN/COMSIGN 150 P FCC ExD side feed  
PURESIGN/COMSIGN 150 P FCC ECx side feed  
PURESIGN/COMSIGN 150 MS90° ExD bracket  
PURESIGN/COMSIGN 150 MS90° ECx bracket  
PURESIGN/CROSSIGN P ERI SET 20 PCS.  
SAFETYSIGNS P BP Grid**Additional information (if necessary)**

Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at  
Signature: Dipl.-Ing. T. Neumayer

Date: 2024-04-23

Typecode Pictogram:



**Escape Route Illumination (ERI)**

None  
ERI

**Escape direction**

None  
L, UPL, UP, UPR, R, DR, D, DL, LR, UPLR, DLR  
E001 – E099 ..... Evacuation route signs  
F001 – F099 ..... Fire Equipment signs  
M001 – M099 ..... Mandatory action signs  
P001 – P099 ..... Prohibition signs  
W001 – W099 ..... Warning signs

**Printed side**

1 ..... One-sided  
2 ..... Double-sided

**Reference number ISO 7010**

SP ..... E001/E002  
WP ..... E026/E030  
E001 – E099 ..... Evacuation route signs  
F001 – F099 ..... Fire Equipment signs  
M001 – M099 ..... Mandatory action signs  
P001 – P099 ..... Prohibition signs  
W001 – W099 ..... Warning signs

**Mounting version**

MSC/MRC  
MSC/MRC/TEC-GP  
MSC-WF/MRC-WF/MRCR-WF

**Pictogram version**

None  
P

**Pictogram height**

None  
150

**Product family**

PURE  
PURESIGN  
COM  
COMSIGN

**Additional information (if necessary)**

*T. Neumayer*  
Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at  
Signature: Dipl.-Ing. T. Neumayer

Date: 2024-04-23