



Ref. Certif. No.

AT 5024

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Fixed ceiling recessed luminaires

Name and address of the applicant

Zumtobel Lighting GmbH
Grevenmarschstr. 74-78,
32657 Lemgo, Germany

Name and address of the manufacturer

Zumtobel Lighting GmbH
Grevenmarschstr. 74-78,
32657 Lemgo, Germany

Name and address of the factory

Zumtobel Lighting GmbH
Grevenmarschstr. 74-78,
32657 Lemgo, Germany

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

AC 220-240 V, 0/50/60 Hz; Cl.II; IP20;
LED 11, 19, 20, 29, 30, 35, 43, 50 W

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 2

Model / Type Ref.

Series V2-SR S ..., V2-SR M ..., V2-R S..., V2-R M ..., V2-R L ...,
V2-P M ..., see page 2.

Additional information (if necessary may also be reported on page 2)

See test report for information about National and/or Group Differences.

☒ Additional Information on pages 2 to 3

A sample of the product was tested and found to be in conformity with

IEC 60598-1:2020
IEC 60598-2-2:2011

As shown in the Test Report Ref. No. which forms part of this Certificate

TR 22159-0018-01

This CB Test Certificate is issued by the National Certification Body



Österreichischer Verband für Elektrotechnik

OVE Certification

Kahlenberger Str. 2A, 1190 Wien, Austria

T. Neumayer

Digitally signed by T. Neumayer

Email=t.neumayer@ove.at



Signature: Dipl.-Ing. T. Neumayer

Date: 2023-12-01

Typecode:

V2-...

Colour decorative front ring

Colour of housing

Optics

SP..... Spot reflector
MSP..... Midum reflector
FL..... Flood reflector
WFL..... Wide Flood reflector
VFL..... Very Wide Flood reflector
VOPT..... reflector + vertical optic

Cable (only for pendant version)

CWH..... cable white
CBK..... cable black

Adaptor (only for pendant version)

RB recessed Baldachin (ZL)

Type of controlgear / dimmable

SWI..... switchable gear
LDO..... controlled gear, DALI
BC Bluetooth Casambi controlled gear

Colour temperature / Photometric code

830 3000K, CRI > 80
840 4000K, CRI > 80
927 2700K, CRI > 90
930 3000K, CRI > 90
935 3500K, CRI > 90
940 4000K, CRI > 90
927-65 Tuneable White
+927 2700K, CRI > 97
+930 3000K, CRI > 97
+940 4000K, CRI > 97
MEAT..... 1900K, CRI > 90
FISH 4000K, CRI > 97
BKY 2500K, CRI > 97
DELIC..... 2700K, CRI > 97
FRUIT 3000K, CRI > 97
CHEES 2500K, CRI > 97
FASH..... 3000K, CRI > 90
WHEX..... 3500K, CRI > 90

Nominal luminous flux
Size

S..... Small
M..... Medium
L..... Large

Mounting

R..... semi recessed
SR recessed
P pendant

Luminaire series

V2 VIVO II

Additional information (if necessary)

Date:

T. Neumayer
Digitally signed by T. Neumayer
Email=t.neumayer@ove.at
Signature: Dipl.-Ing. T. Neumayer

Typelist:

	Type	Rated power [W]	Current setting [mA]	LED-module	Adaptor
	V2-R S xxxx-yzz LDO ...	20	500	CLU02J-1204C9	-
	V2-R M xxxx-yzz LDO ...	30	800	CLU03J-1208C9	-
	V2-R M 2500-927-65 LDO ...	35	900/800	BXRV LES 15mm	-
	V2-R M xxxx-bbbb LDO ...	30	800	CLU03J-1208C9	-
	V2-R M 2200-BKY LDO ...	30	800	CLU03J-1208C9	-
	V2-R M xxxx-FASH LDO ...	30	800	PH SLM 1208 G7 PC	-
	V2-R M 2800-WHEX LDO ...	30	800	PH SLM 1208 G7 PW	-
	V2-R M xxxx-yzz SWI ...	30	800	CLU03J-1208C9	-
	V2-R S 1200-927-65 LDO ...	19	450/350	BXRV LES 9mm (36V)	-
	V2-R S 1200-927-65 BC ...	19	450/350	BXRV LES 9mm (36V)	-
	V2-R M 2500-927-65 BC ...	35	900/800	BXRV LES 15mm	-
	V2-R L 2800-927-65 LDO ...	35	900/800	BXRV LES 15mm	-
	V2-R L 3800-927-65 LDO ...	50	1250/1050	BXRV LES 18mm	-
	V2-SR S 700-927-65 BC ...	11	500/425	BXRV LES 9mm (18V)	-
	V2-SR S xxxx-yzz LDO ...	29	700	CLU02J-1204C9	-
	V2-SR M xxxx-yzz LDO ...	43	1050	CLU03J-1208C9	-
	V2-P M xxxx-yzz SWI RB kkk ...	43	1050	CLU03J-1208C9	RB

V2 VIVO II

V2-R..... Recessed version

V2-SR Semi recessed version

V2-P Pendant version with recessed baldachin

S, M, L Size

xxxx..... Nominal luminous flux

yzz Photometric code (y= code for CRI, zz= code for CCT)

bbbb..... alternative codes for special use (DELIC, BKY, FRUIT, FISH, MEAT, CHEES)

kkk Cable type (for pendant version only)

Additional information (if necessary)

T. Neumayer
Digitally signed by T. Neumayer
Email: t.neumayer@ove.at

Date: 2023-12-01

Signature: Dipl.-Ing. T. Neumayer