

OVE Austrian Electrotechnical Association
Eschenbachgasse 9 | 1010 Wien | Austria
ZVR: 327279890 | www.ove.at

OVE Certification
Kahlenberger Str. 2A | 1190 Wien | Austria
T +43 1 370 58 06 | certification@ove.at



ENEC Certification Body registered under ID # 11.

Validity of ENEC Licences can be checked at www.enec.com

LICENCE

to use the European Mark



Licence No.: **251-230**

Date of issue: Wien, 2023 09 08

OVE the Austrian Electrotechnical Association as signatory to the **"Agreement on the use of a commonly agreed Mark of Conformity for certain electrical equipment complying with European Standards"** hereby grants the right to label the products mentioned hereunder and listed in the Annex with the Mark(s) shown above to the following company

Licensee: **Zumtobel Lighting GmbH**
Schweizer Str. 30
6850 Dornbirn
Austria

Product: **Recessed luminaires**

Trade Mark:  **ZUMTOBEL**

Series/Type: **SLN2... SLOTLIGHT infinity 2.0**

Basis for this given right is the conformity of the products with the requirements of the relevant Standard(s) as listed in the Annex and the fulfilment of articles 8 and 9 of the ENEC-Agreement by the manufacturer. This licence refers to the tested specimen and to all products manufactured strictly identical to the submitted one.

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

Österreichischer Verband für Elektrotechnik
Head of OVE Certification

T. Neumayer

Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



<i>Hersteller Manufacturer</i>	Zumtobel Lighting GmbH Schweizer Str. 30 6850 Dornbirn Austria
<i>Fertigungsstätte(n) Factory location(s)</i>	ZG Lighting SRB doo Ulica Cumtobel br. 1 18000 Nis Serbia Zumtobel Lighting GmbH Schweizer Str. 30 6850 Dornbirn Austria
<i>Typenbezeichnung Type reference</i>	Series SLN2... Consists of different parts: SLN2-B... (Batten) SLN2-C... (Channel) SLN2-COV... (Cover) for details see pages 6 to 8
<i>Prüfbericht Test Report</i>	TR-251-0167-02 ECS, TR-251-0167-03 ECS
<i>Nationale Bestimmung(en) National Standard(s)</i>	OVE EN IEC 60598-1:2022-04-01 OVE EN IEC 60598-1/A11:2023-02-01 ÖVE/ÖNORM EN 60598-2-2:2012-11-01 OVE EN 60598-2-22:2021-01-01
<i>Europanorm(en) European Standard(s)</i>	EN IEC 60598-1:2021 EN IEC 60598-1:2021/A11:2022 EN 60598-2-2:2012 EN 60598-2-22:2014 + A1:2020
<i>Ersatz für Zertifikat Superseded licence</i>	--
<i>Anmerkung(en) Remark(s)</i>	Also available as centrally supplied maintained emergency luminaire (classification Z 1) according to EN 60598-2-22 (optional).

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

<i>Nennspannung</i> <i>Rated voltage</i>	220-240 V; 0/50/60 Hz
<i>Anzahl und Leistung der Lampen</i> <i>Rated wattage and number of lamps</i>	2/3/4x LEM S32..., 2x LEM S24... + 1/2x LEM S32, 2/3x LEM S32... + 1x LEM S16, 3/4x LEM S96..., 2/3/4x LEM S96... + 1x LEM S48, 2/3/4x LEM S64..., 2/3x LEM S64... + 1x LEM S32
<i>Lampentyp(en)</i> <i>Lamp identification</i>	LED modules
<i>Schutzgrad</i> <i>Degree of protection</i>	IP20(MC, CL) or IP20/IP54(PC, PCO, WW)
<i>Netzanschluss</i> <i>Supply connection</i>	Screwless terminal
<i>Befestigungsfläche</i> <i>Supporting surface</i>	Normally flammable surface
<i>Schutzklasse</i> <i>Class of protection</i>	CI.I
<i>Beschreibung des Aufbaus</i> <i>Description of construction</i>	LED-lightline for office applications. There are 3 different lumen packages in different lengths. Luminaire made out of powder coated aluminum. The Batten is an aluminum profile. The LED modules, the screwless terminals and also the converter is fixed on it. The cover is an endless cover made out of polycarbonate or PMMA. Also available in tunable white or RGBW version. The Minicell version is equipped with a SELV driver. This variant does not require an Endless cover.
<i>Zusatzinformation</i> <i>Additional information</i>	Classified within limits of as risk group 0 (exempt group).

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

<i>Bauteil</i> <i>Component</i>	<i>Code</i> <i>Code</i>	<i>Hersteller</i> <i>Manufacturer</i>	<i>Typenbezeichnung</i> <i>Type Reference</i>	<i>Konformitätszeichen</i> <i>Mark(s) of conformity</i>
<i>LED control gear</i>	B	Tridonic	LC 25W...; (Uout: 60 V SELV, Tc: 80°C)	ENEC 11
	B	Tridonic	LC 25W...; (Uout: 250 V, Tc: 80°C)	ENEC 11
	B	Tridonic	LC 50W...; (Uout: 250 V, Tc: 75°C)	ENEC 11
	B	Tridonic	LC 50W...; (Uout: 60 V SELV, Tc: 85°C)	ENEC 11
	B	Tridonic	LC 75W...; (Uout: 250 V, Tc: 80°C)	ENEC 11
	B	Tridonic	LC 75W...; (Uout: 60 V SELV, Tc: 85°C)	ENEC 11
	B	Tridonic	LC 100W...; (Uout: 250 V, Tc: 80°C)	ENEC 11
	B	Tridonic	LCA 35W...; (Uout: 60 V SELV, Tc: 75°C)	ENEC 11
	B	Tridonic	LCA 50W...; (Uout: 250 V, Tc: 85°C)	ENEC 11
	B	Tridonic	LCA 50W...; (Uout: 60 V SELV, Tc: 85°C)	ENEC 11
	B	Tridonic	LCA 75W...; (Uout: 250 V, Tc: 80°C)	ENEC 11
	B	Tridonic	LCA 75W...; (Uout: 60 V SELV, Tc: 85°C)	ENEC 11
	B	Tridonic	LCA 85W...; (Uout: 60 V SELV, Tc: 83°C)	ENEC 11
	B	Tridonic	LCA 100W...; (Uout: 250 V, Tc: 85°C)	ENEC 11
	B	Tridonic	LCA 100W...; (Uout: 60 V SELV, Tc: 80°C)	ENEC 11
<i>LED module</i>	A*	Zumtobel	LEM S16 5.24W...	ÖVE
	A*	Zumtobel	LEM S16 5.25W...	ÖVE
	A*	Zumtobel	LEM S16 9W...	ÖVE
	A*	Zumtobel	LEM S16 9.06W...	ÖVE
	A*	Zumtobel	LEM S16 9.08W...	ÖVE
	A*	Zumtobel	LEM S16 9.11W...	ÖVE
	A*	Zumtobel	LEM S20 6.55W...	ÖVE
	A*	Zumtobel	LEM S20 6.56W...	ÖVE
	A*	Zumtobel	LEM S20 11.2W...	ÖVE
	A*	Zumtobel	LEM S20 11.3W...	ÖVE
	A*	Zumtobel	LEM S20 11.4W...	ÖVE
	A*	Zumtobel	LEM S24 7.86W...	ÖVE
	A*	Zumtobel	LEM S24 7.87W...	ÖVE
	A*	Zumtobel	LEM S24 7.88W...	ÖVE
	A*	Zumtobel	LEM S24 13.5W...	ÖVE
	A*	Zumtobel	LEM S24 13.6W...	ÖVE
	A*	Zumtobel	LEM S24 13.7W...	ÖVE
	A*	Zumtobel	LEM S28 9.18W...	ÖVE
	A*	Zumtobel	LEM S28 9.19W...	ÖVE
	A*	Zumtobel	LEM S28 15.7W...	ÖVE
	A*	Zumtobel	LEM S28 15.9W...	ÖVE
	A*	Zumtobel	LEM S32 10.5W...	ÖVE
	A*	Zumtobel	LEM S32 18W...	ÖVE
	A*	Zumtobel	LEM S32 18.1W...	ÖVE
	A*	Zumtobel	LEM S32 18.2W...	ÖVE
	A*	Zumtobel	LEM S48 8.76W...	ÖVE
	A*	Zumtobel	LEM S96 17.52W...	ÖVE
	A*	Zumtobel	LEM S32 5.26W...	ÖVE
	A*	Zumtobel	LEM S64 10.5W...	ÖVE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

<i>Bauteil</i> <i>Component</i>	<i>Code</i> <i>Code</i>	<i>Hersteller</i> <i>Manufacturer</i>	<i>Typenbezeichnung</i> <i>Type Reference</i>	<i>Konformitätszeichen</i> <i>Mark(s) of conformity</i>
Wiring	A	Leoni	Ecosense LI2X-U; 300/500 V, 0,5 - 1 mm ² , 110°C	BBJ
	A	Leoni	Ecosense LI2X-U; 450/750 V, 1,5 mm ² , 110°C	BBJ
Terminal	A	Electro Terminal	SLK5/7; 450 V, 24 A, 0,2 - 2,5 mm ² , T85	ÖVE

- A The component is replaceable with another one, also certified, with equivalent characteristics.
A* The component is replaceable with another one according to ETF5-OSM-LUM/DSH 2057.
B The component is replaceable if authorised by the test house.
C Integrated component tested together with the appliance.
D Alternative component.

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typecode Batten:

SLN2-B-.... L....

- Colour

None

SRG Silver specular

SRM Silver matt

BKG Black specular

BKM Black matt

WHG White specular

WHM..... White matter

- **Type of ballast**

LDE..... Dimmable

LDO DALI dimmable

EVG Not dimmable

- Variant

PC/PCO/DD Opal/Office/Dropdiffuser

PC/DD..... Opal/Dropdiffuser

MC Minicell

WW Wallwasher

Length of batten [mm]

500 - 2250

Luminous colour

830, 840, 930, 940, 927-965, RGBW

Lumen output [lm]

1600, 2500, 3500

Construction

None Straight luminaire

CL Corner luminaire


Batten

Luminaire series

SLN2..... SLOTLIGHT infinity 2.0

Typecode Channel:

SLN2-C L..... ..




OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typecode Channel:

SLN2-COV **L**....



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Accessories:

TECTON/CONTUS/SLN2/SLOIN/SLOT2/EQL AD
SLN2/SLOIN CON
SLN2/SLOIN E DIST PB SET
SLN2/SLOIN PROF AL PB L2500
SLN2/SLOIN/EQL MOUNT NIV PB SET
SLN2/SLOIN pattern
SLN2 MSC/MRT/MSP CON SET
SLN2 CONCRETE FIXING PROFILE CL L545
SLN2 Concrete fixing profile L1006
SLN2 Concrete fixing profile L1041 IP54
SLN2 Concrete fixing profile L1000
SLN2 Concrete fixing profile L2000
SLN2 Concrete fixing profile L3000
SLN2 Concrete fixing profile L4000
SLN2 Concrete EC SET L9 SR
SLN2 Concrete EC SET L20 SR
SLN2 Concrete EC SET DD L9 SR
SLN2 Concrete EC SET DD L20 SR
SLN2 Concrete EC SET IP54 SR
SLN2 Concrete EC SET BWS SR
SLN2 MWS Set
SLN2 MRT IP54 NIV SET
SLN2 MRT IP54 PB NIV SET
SLN2 MRT NIV SET
SLN2 MRT PB NIV SET
SLN2 WALL MOUNTING TOOL MSC/MSP/MRT
SLN2 CONCRETE MOUNT SET
SLN2 MRT EC SET L20 WH
SLN2 MRT EC SET L9 WH
SLN2 MRT L-CON SR
SLN2 MRT L-CON WH
SLN2 MRT L-CON BK
SLN2 MRT X-CON SR
SLN2 MRT X-CON WH
SLN2 MRT X-CON BK
SLN2 MRT T-CON SR
SLN2 MRT T-CON WH
SLN2 MRT T-CON BK
SLN2 MRT EC SET BWS SR
SLN2 MRT EC SET BWS WH
SLN2 MRT EC SET BWS BK
SLN2 MRT EC SET DD L9 SR
SLN2 MRT EC SET DD L9 WH
SLN2 MRT EC SET DD L9 BK
SLN2 MRT EC SET L20 SR
SLN2 MRT EC SET L9 SR
SLN2 MRT EC SET L20 BK
SLN2 MRT EC SET L9 BK
SLN2 TW KIT
SLN2 MRT EC SET DD L20 SR
SLN2 MRT EC SET DD L20 WH
SLN2 MRT EC SET DD L20 BK

SLN2 MRC EC SET
SLN2 MRC EC SET BWS
SLN2 WALL MOUNTING TOOL MRC

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.