

OVE Austrian Electrotechnical Association
1010 Wien, Eschenbachgasse 9, Austria
ZVR: 327279890 | DVR: 1055887 | www.ove.at

OVE Testing & Certification
1190 Wien, Kahlenberger Str. 2A, Austria
T +43 1 370 58 06 | F +43 1 370 58 06-199



ENEC Certification Body registered under ID # 11.

Validity of ENEC Licences can be checked at www.enec.com

LICENCE

to use the European Mark



Licence No. **251-174**

Date of issue: Wien, 2016 01 14

Rev. No. 01 Wien, 2016 10 21

OVE the Austrian Electrotechnical Association as signatory to the **"Agreement on the use of a commonly agreed Mark of Conformity for certain electrical equipment complying with European Standards"** hereby grants the right to label the products mentioned hereunder and listed in the Annex with the Mark(s) shown above to the following company

Licenceholder: **Zumtobel Lighting GmbH**
Schweizer Str. 30
6851 Dornbirn
Austria

Product: **Fixed general purpose luminaires**

Trade Mark:  **ZUMTOBEL**

Series/Type: **SLOT Infinity**

Basis for this given right is the conformity of the products with the requirements of the relevant Standard(s) as listed in the Annex and the fulfilment of articles 8 and 9 of the ENEC-Agreement by the manufacturer. This licence refers to the tested specimen and to all products manufactured strictly identical to the submitted one.

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

Austrian Electrotechnical Association
Head of Testing & Certification

Digitally signed by W. Martin
Email=w.martin@ove.at

Dipl.-Ing. W. Martin



OVE Testing & Certification

Accredited by the Federal Ministry of Science, Research and Economy as Certification Body for products within the scope as given in the official decree and published under www.en.bmwf.gv.at/accreditation




<i>Hersteller</i> <i>Manufacturer</i>	Zumtobel Lighting GmbH Schweizer Str. 30 6851 Dornbirn Austria
<i>Fertigungsstätte(n)</i> <i>Factory location(s)</i>	Zumtobel Lighting GmbH Schweizer Str. 30 6851 Dornbirn Austria
<i>Typenbezeichnung</i> <i>Type reference</i>	SLOIN .. A .. LED..., see page 4/7 of Annex
* <i>Prüfbericht</i> <i>Test Report</i>	TR-251-0032-01 ECS
<i>Nationale Bestimmung(en)</i> <i>National Standard(s)</i>	ÖVE/ÖNORM EN 60598-1:2015-11-01 ÖVE-LI/EN 60598-2-1:1989
<i>Europannorm(en)</i> <i>European Standard(s)</i>	EN 60598-1:2015 EN 60598-2-1:1989
* <i>Ersatz für Zertifikat</i> <i>Superseded licence</i>	251-174 dated 2016 01 14 Items modified are marked with an asterisk (*)
<i>Anmerkung(en)</i> <i>Remark(s)</i>	WMT-procedure

<i>Nennspannung</i> <i>Rated voltage</i>	220-240 V, 0/50/60 Hz
* <i>Anzahl und Leistung der Lampen</i> <i>Rated wattage and number of lamps</i>	Opal (PC) / Office (PCO) / Wallwasher (WW): 2/3/4/5/6/8x LEM S32 11W 2/3/4/5x LEM S32 11W + 1x LEM S16 5,9W TuneableWhite (TW): 1/2/3/4x TW LLE G1 Schultafel (WW HO): 6/8x LEM S32 22W
<i>Lampentyp(en)</i> <i>Lamp identification</i>	LED modules: LEM S32, LEM S16, TW LLE G1 (ILCOS: DSL)
<i>Schutzgrad</i> <i>Degree of protection</i>	IP20 IP40 (with additional cover)
<i>Netzanschluß</i> <i>Supply connection</i>	Screwless terminals
<i>Befestigungsfläche</i> <i>Supporting surface</i>	Normally flammable surface
<i>Schutzklasse</i> <i>Class of protection</i>	Cl.I
<i>Beschreibung des Aufbaus</i> <i>Description of construction</i>	Ceiling or suspended mounting LED luminaire for office applications made of silver coloured powder coated aluminium. Endless cover made of polycarbonate. The LED bar is an aluminium profile and only the LED modules and the screwless terminals are fixed on it. The LED driver is fixed on the luminaire rack. Also available in tuneable white version.
<i>Zusatzinformation</i> <i>Additional information</i>	Light source classified as RG1 according to EN 62471:2008.

<i>Bauteil Component</i>	<i>Code Code</i>	<i>Hersteller Manufacturer</i>	<i>Typenbezeichnung Type Reference</i>	<i>Konformitätszeichen Mark(s) of conformity</i>
<i>Ballast</i>	B	Tridonic	LCA ...one4all...PRE	ENEC 11
	B	Tridonic	LCAI ...ECO Ip	ENEC 11
	B	Tridonic	LCAI ...TW Ip	ENEC 11
	B	Philips	Xitanium 36W...	ENEC 05
	B	Philips	Xitanium 75W...	ENEC 05
	B	Philips	Xitanium 110W...	ENEC 05
	B	Osram	OTi DALI ...	ENEC 10
	B	Osram	OTi ...	ENEC 10
<i>Sensor</i>	B	Hytronik Electronics	HC005S	SEMKO
* <i>LED module</i>	B	Zumtobel	LEM S16 5,9W ... 243x30...	OVE
*	B	Zumtobel	LEM S32 22W ... 493x30...	OVE
*	B	Zumtobel	LEM S32 11W ... 493x30...	OVE
	B	Tridonic	TW LLE G1...830-860 PRE	ENEC 11
<i>Connector</i>	A	Electro Terminal	LBK 1/7 FEEDER CON ST	OVE
			400V; 16A; T85	
	A	Electro Terminal	LBK 1/7 FEEDER CON KU	OVE
			400V; 16A; T85	
	A	Electro Terminal	LBK 1/7 FEEDER	OVE
			400V; 10A; T85; 0,5-2,5mm²	
<i>Wiring</i>	A	Electro Terminal	LBK 1/7 ST	OVE
			400V; 10A; T85; 0,5-1,0mm²	
	A	Electro Terminal	LBK 1/70F 5ST...	VDE
			400V; 10A; T85	
	A	Leoni	Ecosense S05G-U	BBJ
			300/500V; 0,5-1,0mm²; 110°C	
	A	Leoni	Ecosense S05G-K	BBJ
			300/500V; 0,5-1,0mm²; 110°C	
	A	Leoni	Ecosense S07G-U	BBJ
			450/750V; 1,5mm²; 110°C	
A The component is replaceable with another one, also certified, with equivalent characteristics. B The component is replaceable if authorised by the test house. C Integrated component tested together with the appliance. D Alternative component.				


Ordering key luminaires Series SLOIN:

SLOIN .. A .. LED....-..... L....




Typecode part "KANAL":

SLOIN A K .. L.... ...



Typecode part "BALKEN":

SLOIN B .. LED..... L....





Accessories:

SLOIN A ASI1
SLOIN A ASI2
SLOIN A COVER IP40 KIT L1000
SLOIN A EC SET L20
SLOIN A EC SET L9
SLOIN A K CUT L250
SLOIN A mask plate 20mm GY
SLOIN A mask plate 9mm GY
SLOIN A/T CON SET
SLOIN B DEINSTALL SET
SLOIN CON U/Q
SLOIN Concrete EC Set
SLOIN Concrete fixing profile CL L545
SLOIN Concrete fixing profile L1000
SLOIN Concrete fixing profile L2000
SLOIN Concrete fixing profile L3000
SLOIN Concrete fixing profile L4000
SLOIN COV L10000 GY
SLOIN COV L10000 PC
SLOIN COV L10000PCO
SLOIN COV L10000 WW
SLOIN COV L15000 PC
SLOIN COV L20000 PC
SLOIN COV L20000 PCO
SLOIN COV L20000 WW
SLOIN COV L6000 GY
SLOIN COV L6000 PC
SLOIN COV L6000 PCO
SLOIN COV L6000 WW
SLOIN COV L8000 PC
SLOIN mask plate GY
SLOIN tape
SLOIN PST SET
SLOT2/SLOIN/RTX2 ASI1 SR
SLOT2/SLOIN/RTX2 ASI1 WH
SLOT2/SLOIN/RTX2 ASI2 SR
SLOT2/SLOIN/RTX2 ASI2 WH
SLOIN WW REFL L1000
SLOIN WW REFL L250
SLOIN WW REFL L500
SLOIN WW REFL L750
TECTON/METRUM/SLOT AD