



Ref. Certif. No.

DK-155181-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Fixed luminaire (track) with LED light

Name and address of the applicant

ZUMTOBEL LIGHTING GMBH
Grevenmarschstr 74-78 Lemgo 32657
Germany

Name and address of the manufacturer

ZUMTOBEL LIGHTING GMBH
Grevenmarschstr 74-78 Lemgo 32657
Germany

Name and address of the factory

ZUMTOBEL LIGHTING GMBH
Grevenmarschstr 74-78 Lemgo 32657
Germany

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

48 V DC 11 W Class III IP20

☒ Additional Information on page 2

Trademark / Brand (if any)

ZUMTOBEL

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

42927740

☒ Additional Information on page 2

Additional information (if necessary may also be reported on page 2)

National Differences: EU Group Differences, DK, FI, GB

☒ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60598-2-1:2020, IEC 60598-1:2020

As shown in the Test Report Ref. No. which forms part of this Certificate

4791246496.2 issued on 2024-07-09

This CB Test Certificate is issued by the National Certification Body



☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-07-11

Signature:

Thomas Wilson

Additional Model Detail(s):

Representative model 42927740:

Table 1A

Model	Voltage (DC)	Wattage	Colour	Temperature Colour
42927740	48	11	Black	4000 K

Represents additional models:

Table 1B

Model	Voltage (DC)	Wattage	Colour	Temperature Colour
42927739	48	11	Black	3000 K
42184362	48	11	White	3000 K
42927738	48	11	White	4000 K
42927742	48	11	Black	3000 K
42927743	48	11	Black	4000 K
42184363	48	11	White	3000 K
42927741	48	11	White	4000 K

Representative model 42927734:

Table 2A

Model	Voltage (DC)	Wattage	Colour	Temperature Colour
42927734	48	11	Black	4000 K

Represents additional models:

Table 2B

Model	Voltage (DC)	Wattage	Colour	Temperature Colour
42927733	48	11	Black	3000 K
42184360	48	11	White	3000 K
42927732	48	11	White	4000 K
42927736	48	12	Black	3000 K
42927737	48	12	Black	4000 K
42184361	48	12	White	3000 K
42927735	48	12	White	4000 K
42928180	48	12	Silver	3000 K
42928380	48	12	Silver	4000 K
42928551	48	11	Silver	3000 K
42930217	48	11	Silver	4000 K

Additionally evaluated to:

EN IEC 60598-2-1:2021, EN IEC 60598-1:2021, EN IEC 60598-1:2021/A11:2022


Additional information (if necessary)


- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-07-11

Signature:



Thomas Wilson