



ZUMTOBEL



MICROS II

A SMALL LUMINAIRE WITH A BIG IMPACT



FORETHOUGHT

MICROS II – a small luminaire featuring state-of-the-art lighting technology for ancillary areas in retail, the hotel and catering sector, hospitals and living areas. Yet MICROS II also allows for one-to-one replacement of old small downlights, which still use halogen bulbs, for example.

MICROS II offers different sizes and mounting options:



R100
recessed



R68
recessed



R100
surface mounted



R68
surface mounted



Scale: 1:1

POWERFUL

Modern reflector technology and lumen packages of up to 1800 lm make the powerful MICROS II the ideal choice for general lighting tasks. Two different beam angles combined with excellent glare control and a range of light colours improve the level of visual comfort significantly.

STATE-OF-THE-ART TECHNOLOGY

Whether operated with a simple on/off switch, DALI control or phase angle control, MICROS II delivers both flexibility and functionality.



Flood
20° (R68/SC68)
24° (R100/SC100)



Very Wide Flood
38° (R68/SC68)
58° (R100/SC100)

Bayonet mounting
for simple and
fast installation

Luminaire available in
2 sizes and 2 colours

Reflector with
2 beam angles



I N D I V I D U A L

MICROS II is an impressive combination of flexibility and individuality. Individual design requirements can be implemented thanks to a tilting luminaire head, two different colours and two different sizes.

A small luminaire with a big impact.

LUMINAIRE HEAD

Thanks to its gimballed luminaire head that can be tilted by up to 20° and modern reflector technology, MICROS II can meet a number of everyday lighting challenges.

DIFFERENT SIZES

This all-rounder is available in sizes 68 mm and 100 mm, each of which offers two different reflector sizes, making it the ideal luminaire for everyday lighting tasks.



ALTERNATIVE TO HALOGEN BULBS

Halogen bulbs are no longer available on the market due to environmental concerns. The recommendation is to replace these with equivalent LED luminaires. Our response to this: MICROS II. This small luminaire with a big impact is the ideal choice for replacing halogen bulbs in ancillary areas.

Environmental protection and using resources responsibly are a key priority for Zumtobel. This is why we use long-lasting, environmentally-friendly LEDs rather than materials with a high environmental risk potential.


INSTALLATION

MICROS II offers simple, flexible installation options thanks to its well thought-out design.

RECESSED LUMINAIRE INSTALLATION



SURFACE MOUNTED LUMINAIRE INSTALLATION





Austrian Standards Institute, Vienna | AT



Diesel Store, Vienna | AT



Interspar Haus am Schottentor, Vienna | AT



Hotel Ramada, Berlin | DE






Fressbox, Graz | AT



MICROS II R100**MICROS II R68**

	R100	R68
Mounting type	Recessed, surface mounted	Recessed, surface mounted
Lumen package	1400 lm / 1800 lm	900 lm
Ceiling cut-out	Ø 100 mm	Ø 68 mm
Adjustment	Swivel-mounted	Swivel-mounted
Shape	Circular	Circular
Efficiency	105 lm/W	105 lm/W
Light colours	2700 K, 3000 K, 4000 K	2700 K, 3000 K, 4000 K
Driver (to be ordered separately)	Recessed: switchable, DALI dimmable (LD0), phase angle control Surface mounted: switchable	Recessed: switchable, DALI dimmable (LD0), phase angle control Surface mounted: switchable
CRI	90	90
SDCM	3	3
Light distribution	FL/VFL	FL/VFL
Accessories	IP44 cover	IP44 cover
Colours	☐ White (WH) ☒ Black (BK)	☐ White (WH) ☒ Black (BK)

T H E L I G H T



zumtobel.com/contact