





Design Billings Jackson Design | London

"The lighting effect was meant to resemble a luminous ceiling. We wanted to create something that we could use in a straightforward manner in our own office, and something easy to maintain – this aspect was very important to us. We could see possible applications in shops, reception areas, at hairstylists, in doctors' surgeries, restaurants, clubs .... indeed everywhere."



# CIELOS





The essence of wide-area lighting The modular luminaire turns diffuse surface lighting into a variable, malleable design element for ceilings, walls and objects. CIELOS is no custom-made item, and yet it's tailored to your respective needs. Easy to assemble and to install, with easy-to-maintain surfaces and also very interesting for smaller rooms. Even one single luminous module is able to create an emotional atmosphere, multiplying with each additional module. The diffuser made of high-quality satin-frosted white glass enhances the exclusive appearance of elegant entrance halls, conference rooms and exhibition areas.



## **CIELOS**

# Versatility squared



↑ CIELOS pendant

The CIELOS luminaire stays in control of the situation in any position. All versions can be used as a solo performer or as part of a luminaire cluster. The fact that fixing and installation are completed in just a few simple steps is a feature that appeals to the practically-minded. There are surface mounting and pendant options for ceilings. CIELOS can be fixed directly onto walls as a vertical design feature.



† CIELOS surface-mounted on ceiling

CIELOS wall-mounted →






**CIELOS cord suspension** The extra-slender cord suspension assembly is intended for luminous ceilings comprising up to eight luminaires. The steel cords and their securely fixed metal brackets fulfil two functions: they ensure secure retention of the luminaire while also joining the modules together, eliminating the need for any other connectors. The luminaire modules can therefore be mounted and adjusted quickly. The cord suspension assembly requires minimum space of 90 mm. Thus, a suspended 80 mm CIELOS luminaire takes up only 170 mm of the overall room height.

# **Suspended using trunking** Strong and stable



CIELOS on ZX2 trunking This highly robust trunking provides the requisite stability and safety for luminous ceilings consisting of nine or more CIELOS modules and makes full use of its tried-and-tested installation benefits. Suspension and adjustment are very straightforward allowing great craftsmanship without being timeconsuming. The trunking requires a height of just 230 mm. In total, 310 mm must be calculated for a CIELOS luminous ceiling installed on a trunking unit.



#### Ordering example

For a luminaire panel comprising 2 x 2 CIELOS

4 CIELOS Q600 luminaires	25 W LED	42 181 922
4 through-wiring kits	Q600 through-wiring kit 7 x 1.5 mm <sup>2</sup>	22 161 557
6 cord suspension kits (edge)	ASI2000	22 161 941
3 cord suspension kits (centre)	ASI2000M	22 161 940






ASI2000M Connector for centre mounting ASI2000 Connector for edge mounting

Design tip for cord suspension


Cord suspension is recommended if there are eight or fewer luminaires. Perfectly positioned matching metal brackets simplify suspension and precise alignment of individual modules of a luminous ceiling. Cord suspension assembly ASI2000M connects the luminaires located in the centre of the luminaire panel; cord suspension assembly ASI2000 connects the luminaires by their front and rear edges.



#### Ordering example

For a luminaire panel comprising 3 x 3 CIELOS

9 CIELOS Q900 luminaires	32 W LED	42 181 924
8 through-wiring units	Through-wiring kit	
	Q900 7 x 1.5 mm <sup>2</sup>	22 161 558
4 trunking units	ZX2 T 3240 WH	22 157 860
8 end caps	ZX2 T-E	22 157 793
8 U-clamp terminals	ZAKS	03 231 208
8 connectors (edge)	ATS	22 161 937
8 connectors (centre)	ATS M	22 161 938
12 chain suspension kits	ZAK	20 350 553
12 knotted link chains (12 m in total)	ZAKK	20 042 906





ATS M Connector for centre mounting

ATS Connector for edge mounting

Design tip for mounting on trunking


Nine or more CIELOS luminaires need the stability provided by trunking. Easy to assemble and adjust, the ZX2 trunking units can be arranged anywhere in the room. Connection to other ceiling systems is also possible. When doing so, make sure that all CIELOS modules are attached to the strong ZX2 trunking unit. All types of drywall ceilings can be butted up against a CIELOS luminous ceiling, but ceiling and luminous field cannot be mechanically joined.

#### 16 CIELOS luminaires


#### |...| Shared properties CIELOS

- Glass cover made of single-pane Housing made of sheet steel, frosted safety glass (ESG)
- Frameless optic retained by means of discrete stainless-steel
- painted white
- Easy maintenance: even those elements enclosed on all sides by other modules can be opened individually
- · Luminaire pre-wired using halogen-free leads


### Installation CIELOS ceiling-mounted light




#### Installed on ceiling or wall



#### Cord suspension (max. 2x2 module)



#### Trunking installation



#### Accessories required depending on installation type:

Cord suspension

® cord suspension (ASI2000): 22 161 941

9 cord suspension (ASI2000M): 22 161 940

For trunking installation


① ZAK chain suspension: 20 350 553 ② ZAKK knotted link chain: 20 042 906 3 ZX2 T 3240 WH trunking: 22 157 860 @ ATS connector: 22 161 937

⑤ ATSM connector: 22 161 938 ® ZAKS U-clamp terminal: 03 231 208 7 ZX2 T-E Paar end cap: 22 157 793

#### **CIELOS Monocolor (1C)**



- |...|
- Modular T16 luminaire for creating dynamic light surfaces on the ceiling or wall
- High quality appearance with frosted white glass cover and natural anodised aluminium
- Diffuse light distribution and visible luminance for pleasant, glare-free light
- Double-diffusion chamber optic for extremely low-profile 80 mm design
- For monochromatic lighting design (1C)
- DALI control possible



#### **CIELOS Monocolor LED (1C)**



- |...|
- Modular luminaire for designing illuminated areas on ceilings or walls in prestigious areas
- High quality appearance with frosted white glass cover and natural anodised aluminium
- Diffuse light distribution and visible luminance for pleasant, glare-free light
- Extremely low 80 mm construction
- Aluminium chamber optic in natural anodised finish
- DALI control possible

		L/W/H	kg	Order no.
Modular lighting tile, one colour	1C			
25 W LED 830 Q600 eco+		600/600/80	12,0	42 181 923
25 W LED 840 Q600 eco+		600/600/80	12,0	42 181 922
33 W LED 830 Q800		800/800/80	19,0	42 182 105
33 W LED 840 Q800		800/800/80	19,0	42 182 104
	(777 )			incl
		naltogén	96	0°C ÜED
	CELOS TC 25 WLED 840 0600		IS 1C 33 W LED	840 Q800 cd/kim
	UGR (X = 4 H, Y = 8 H, S = 0.25 H) transversal <22 axial <22	$\frac{LOR}{100\%}  \frac{UGR  (X = 4 \text{ H})}{\text{transversal} < 1}$	I, Y = 8 H, S = 0	1.25 H) LOR 100%

#### **CIELOS** accessories


- Through-wiring for simple and space-saving wiring between luminaires
- Accessories for cord installation
- · Accessories for track mounting

	L/W/H	kg	Order no.
Cord suspension			
ASI2000	2/2/2000		22 161 941
ASI2000M	2/2/2000	0,1	22 161 940
Installed on trunking			
ATS Link		0,2	22 161 937
ATS M Link		0,2	22 161 938
ZAK Chain suspension assembly white			20 350 553
ZAKK Knotted chain by the metre (nickel) galvanised		0,1	20 042 906
ZAKS Cage clamp terminal, white			03 231 208
ZX2 T 3240 WH white	3240/60/52	3,0	22 157 860
ZX2 T-E	1/63/56		22 157 793
ZX2 T-V straight connector		0,6	22 157 756
Video driver			
CCS Video drive		0,9	22 162 066
Through-wiring			
DV-Set Q600 7x1,5mm <sup>2</sup>		0,2	22 161 557
DV-Set Q900 7x1,5mm <sup>2</sup>		0,3	22 161 558
Installation accessories			
Rubber seal, 1m (for wall and surface-mounting)			22 157 838
Suction cup			20 935 455






zumtobel.com/office



zumtobel.com/culture




zumtobel.com/education



zumtobel.com/healthcare



zumtobel com/shop



zumtobel.com/industry



zumtobel.com/hotel



zumtobel.com/facade

# Zumtobel is the internationally leading supplier of integral lighting solutions for professional interior and exterior lighting applications.

- Offices and Communication
- Education and Science
- Presentation and Retail
- Hotel and Wellness
- Art and Culture
- Health and Care
- Industry and Engineering
- Façades and Architecture

We provide unique customer benefits by integrating technology, design, emotion and energy efficiency. Under the Humanergy Balance concept, we combine the best possible ergonomic lighting quality for an individual's well-being with the responsible use of energy resources. The company's own sales organisations in twenty countries, as well as commercial agencies in fifty other countries, form an international network of experts and design partners providing professional lighting consulting, design assistance and comprehensive services.

## Lighting and sustainability

In line with our corporate philosophy "We want to use light to create worlds of experience, make work easier and improve communications and safety while remaining fully aware of our responsibility to the environment", Zumtobel offers energy-efficient high-quality products, while at the same time making sure that our production processes based on the considerate use of resources are environmentally compatible.

#### zumtobel.com/sustainability

Order no. 04797792-EN 05/2014 © Zumtobel Lighting GmbH Technical data was correct at time of going to press. We reserve the right to make technical changes without notice. Please contact your local sales office for further information. For the sake of the environment: Luxo Light is chlorine-free paper from sustainably managed forests and certified sources.



## Top quality – with a five-year guarantee.

As a globally leading luminaire manufacturer, Zumtobel provides a five year manufacturer's guarantee on all Zumtobel branded products subject to registration within 90 days from the invoice date and in accordance with the terms of guarantee at zumtobel.com/guarantee.





# ZUMTOBEL



Tracks and spots



Modular lighting systems



Downlights



Recessed luminaires



Surface-mounted and pendant luminaires



Free-standing and wall-mounted luminaires



Continuous-row systems and individual batten luminaires



High-bay luminaires and floodlight reflector systems



Luminaires with extra protection



Façade, media and outdoor luminaires



Lighting management systems



Emergency lighting



Medical supply systems

#### United Kingdom

Zumtobel Lighting Ltd.
Chiltern Park
Chiltern Hill, Chalfont St. Peter
Buckinghamshire SL9 9FG
T +44/(0)1753 482 650
F +444/(0)1753 480 350
uksales@zumtobel.com
zumtobel.co.uk

#### **USA and Canada**

Zumtobel Lighting Inc. 3300 Route 9W Highland, NY 12528 T +1/(0)845/691 6262 F +1/(0)845/691 6289 zli.us@zumtobel.com zumtobel.us

#### Australia and New Zealand

Zumtobel Lighting Pty Ltd 333 Pacific Highway North Sydney, NSW 2060 T +61/(2)8913 5000 F +61/(2)8913 5001 info@zumtobel.com.au zumtobel.com.au

#### China

Zumtobel Lighting China
Shanghai office
Room 101,
No 192 YIHONG Technology Park
Tianlin Road, Xuhui District
Shanghai City, 200233, P.R. China
T +86/(21) 6375 6262
F +86/(21) 6375 6285
sales.cn@zumtobel.com
zumtobel.cn

#### Hong Kong

Zumtobel Lighting Hong Kong Unit 4319-20, Level 43, Tower 1, Metroplaza, 223 Hing Fong Road, Kwai Fong, N.T. T +852/(0)25030466 F +852/(0)25030177 info.hk@zumtobel.com

#### India

Zumtobel Lighting GmbH 1522, Devika Tower, 6, Nehru Place, 110019 New Delhi T +91/11 4601 2782 info.in@zumtobel.com

#### Singapore

Zumtobel Lighting Singapore 158 Kallang Way # 06-01/02 Singapore 349245 T +65 68445800 F +65 67457707 info.sg@zumtobel.com

#### **United Arab Emirates**

Zumtobel Lighting GmbH 4B Street, Al Quoz Industrial Area Dubai, United Arab Emirates T +971/4 340 4646 F +971/4 2993531 info@zumtobeluae.ae zumtobel.ae

#### Romania

Romania
Zumtobel Lighting Romania SRL
Radu Greceanu Street, no. 2,
Ground Floor, sector 1
012233 Bucharest
T +40 73132 1200
welcome.ro@zumtobel.com
zumtobel.com

#### Hungary

Zumtobel Lighting Kft Váci út 49 1134 Budapest T +36/(1) 3500828 F +36/(1) 3500829 welcome@zumtobel.hu zumtobel.hu

#### Croatia, Bosnia and Herzegovina

Zumtobel Licht d.o.o.
Radnička cesta 80 – Zagrebtower
10000 Zagreb
T +385/(1) 6404080
F +385/(1) 6404090
welcome@zumtobel.hr
welcome.ba@zumtobel.com

#### Serbia

Zumtobel Licht d.o.o. Karadjordjeva 2-4 Beton Hala 11000 Belgrade T +381/(0)11 6557657 F +381/(0)11 6557658 welcome@zumtobel.rs

#### Czech Republic

Zumtobel Lighting s.r.o. Jankovcova 2 Praha 7 17000 Praha T +420/(2) 66782200 F +420/(2) 66782201 welcome@zumtobel.cz zumtobel.cz

### Slovak Republic

Zumtobel Lighting s.r.o Vlčie Hrdlo 1, 824 12 Bratislava welcome@zumtobel.sk zumtobel.sk

#### Poland

Zumtobel Licht GmbH Sp.z.o.o.
Platinium III
ul. Wołoska 9a
02-583 Warszawa
T +48/(22) 856 74 31
F +48/(22) 856 74 32
welcome@zumtobel.pl
zumtobel.pl

#### Slovenia

Zumtobel Licht d.o.o. Štukljeva cesta 46 1000 Ljubljana T +386/(1) 5609 820 F +386/(1) 5609 866 welcome@zumtobel.si zumtobel.si

#### Russia

Zumtobel Lighting GmbH Official Representative Office Skakovaya Str. 17 Bld. No 1, Office 1104 125040 Moscow T +7/(495) 945 3633 F +7/(495) 945 1694 info-russia@zumtobel.com zumtobel.ru

#### Norway

Zumtobel Belysning Hoffsveien 4 Postboks 1025 Hoff 0218 Oslo T +47 22 06 50 50 firmapost@zumtobel.com zumtobel.no

#### Sweden

Zumtobel Belysning Birger Jarlsgatan 57 113 56 Stockholm T +46 8 26 26 50 info.se@zumtobel.com zumtobel.se

#### Denmark

Zumtobel Belysning Store Kongensgade 118 1264 København T +45 35 43 70 00 info.dk@zumtobel.com zumtobel.dk

#### Headquarters

Zumtobel Lighting GmbH Schweizer Strasse 30 Postfach 72 6851 Dornbirn, AUSTRIA T +43/(0)5572/390-0 info@zumtobel.info

Zumtobel Licht GmbH Grevenmarschstrasse 74-78 32657 Lemgo, GERMANY T +49/(0)5261 212-0 F +49/(0)5261 212-7777 info@zumtobel.de

#### zumtobel.com

# ZUMTOBEL

# **CIELOS**

## Modular lighting system

The essence of wide-area lighting.